

GENERAL INDEX TO VOLUME XXXII

New scientific names of plants and the final members of new combinations are printed in bold face type; synonyms and page numbers having reference to figures and plates, in *italics*; and previously published names and all other matter, in ordinary type.¹

A

- Acerates*, 369; *decumbens*, 370
Achyropappus anthemoides, 278
Achyropappus, 267; *mendocinus*, 268; *neo-mexicanus*, 275; *schkubrioides*, 274, 277
 Adaptation: cytoplasmic, of an illegitimate yeast hybrid, 112; Physiology and genetic significance of enzymatic, 139; kinetics of, 152; of yeasts to galactose, 119; populational, biological mechanism of, in yeasts, 140
 Adaptive enzymes, formation of, 247
Alethopteris, 330, 348, 360
 Alper, Charlotte, Ellen Marie Kern and. Multi-dimensional graphical representation for analyzing variation in quantitative characters, 279
Amaryllidaceae of Panama, 12
Amblyopappus mendocinus, 268; *Neo-Mexicanus*, 275
 American Carboniferous floras, Contributions to our knowledge of: VII. Some Pteridosperm stems from Iowa, 323
Anantherix angustifolia, 370; *decumbens*, 370; *Nuttalliana*, 370
 Anderson, Edgar: and John Jay Finan. Maize in the Yanhuilán Codex, 361; George F. Carter and. A preliminary survey of maize in the southwestern United States, 297
 Andrews, Henry N. Contributions to our knowledge of American Carboniferous floras. VII. Some Pteridosperm stems from Iowa, 323
Annularia, 338
 Antelope-horns, 369
 Archaeological investigations of maize, 297; map showing areas of, 310
Asclepiads, Notes on some North American, 369
Asclepias, 369; *brevicornu*, 369; *capricornu*, 370, ssp. *capricornu*, 371, ssp. *occidentalis*, 371; *decumbens*, 370; *Emoryi*, 370; *longicornu*, 369; *nyctaginifolia*, 370; *subulata*, 370; *viridis*, 370

- Asclepiodora*, 369; *decumbens* when treated as an *Asclepias*, 369; *decumbens*, 370; *longipetala*, 369; *viridis*, 369
Aspergillus niger, biochemical properties of radium strains of, 171, 172; *terreus*, mutations of, 175, 176
Asteranthemum, 400; *vulgare*, 407

B

- Bacteria: Genetic aspects of virulence in, 187; populational dynamics in, 231; resistance of, to penicillin, 131; sensitivity of, to radiation, 167; Spontaneous mutations of, 223; virus-resistant mutants of, 228; variants active in, 237
 Bactericidal power of blood, 206
 Bacterium-bacterial virus relationship, Genetics of, 235
 Bahia, 266; *Bigelovii*, 278; *bitermata*, 278; *Gilliesii*, 275; *integrifolia*, 278; *Neo-Mexicana*, 275; *pedata*, 278; *schkubrioides*, 277; *Woodhousei*, 278
 Basketmaker maize, 300
 Beadle, G. W., E. L. Tatum and. Biochemical genetics of *Neurospora*, 125
 Biochemical aspects of adaptation, 146
 Biochemical genetics of *Neurospora*, 125
Bomarea Allenii, 16; *chiriquina*, 15; *hirsuta* var. *concolor*, 16
Burmanniaceae of Panama, 42

C

- Calamites*, 336
Cannaceae of Panama, 74
 Carboniferous Floras, American, Contributions to our knowledge of: VII. Some Pteridosperm stems from Iowa, 323
 Carter, George F., and Edgar Anderson. A preliminary survey of maize in the southwestern United States, 297
 Central American species of *Smilacina*, A revision of the, 395
Cephalobembix, 267; *neo-mexicana*, 275
 Chalkley, H. W., J. P. Greenstein and. The influence of nucleic acid on dehydrogenase systems, 179

¹ For Woodson and Schery's "Flora of Panama" only the plant families and new entities are included in the ANNALS Index, since a complete Index will be appended at the end of each volume of the "Flora."

Charles, Dr. Donald, interpretation of *Clematis* statistics by, 488

Chicks, inoculation of, with *Shigella gallinarum*, 189

Clematis: *albicoma*, 415, var. *coactilis*, 415; Durandi, 454; *Flammula*, 454; *Fremontii* var. *Riehlii*, 415, 456, showing naked achene tail, 428, X C. Pitcheri, 454, 455, 456; *integrifolia*, 415, 453; Jackmani, 454; *ochroleuca*, 415; Pitcheri, 415, 416, 454; *viticaulis*, 415; Viorna showing naked achene tail, 428

Clematis Fremontii var. *Riehlii* population in the Ozarks, 413

Clematis Fremontii var. *Riehlii*, 413: achene of, 428; distribution of, in Missouri, 416, 417; flower, 431, measurements of, 440, 441; germination of seed, 428; glade habitat of, 415, 416, 432, 436; leaves, 443, measurements of, 444, 450, regression of width on length, 445, 449, 451; life history of, 426; morphological variation in, 427, 435; plants of, 431; pollination of, 429; population, 422, hierarchy of subdivisions of, 422, 423, variation in size, 424; seedling, 428; sepals of, 434, 435, 438; variation, sources of, 453

Clintonia umbellulata, 395

Coal-balls, fossiliferous, 323, 337

Codex, Yanhuatlán, Maize in the, 361; plates from, 362, 364, 366, 368

Coffea arabica var. *maragogipes*, *Nectria* disease of, 287

Coffee, a *Nectria* disease of, in western Guatemala, 287

Conference on "Gene Action in Micro-organisms": papers given at, 107-249; Discussion of papers, 251

Contributions to our knowledge of American Carboniferous floras. VII. Some Pteridosperm stems from Iowa, 323

Convallaria flexuosa, 404; *racemosa*, 403; *stellata*, 407

Cordiaanthus, 324; Shuleri, 324

Corn: in the Southwest, characters of, 299; Basketmaker, 300; Hopi white flour, 320; Isleta red, 322; Mexican, 361, 362, 363, 364, 366, 368; "Mexican Pyramidal," 363; Papago white flour, 318; Tesuque, red-and-white, 322; see Maize

Cytogene hypothesis, 121

Cytogenetic investigations of maize, 297; of yeasts, 107

Cytoplasmic inheritance in yeasts, 107

D

Dandelion: correlation of leaf shape and seed color, 283, 284, 286; grid map of Washington University campus area indicating neighborhoods, 283, 285

Dehydrogenase systems, Influence of nucleic acid on, 179

Delbrück, M. Spontaneous mutations of bacteria, 223

Demerec, M. Genetic aspects of changes in *Staphylococcus aureus* producing strains resistant to various concentrations of penicillin, 131

Density of population of *Clematis Fremontii* var. *Riehlii*, 417, 418; map showing glades on which studied, 420

Dented kernels of maize, 299, 320

Dioscoreaceae of Panama, 26

Diplophase yeast cultures, 107, 108, 117, 142

Discussion of papers given at conference on "Gene Action in Micro-organisms", 251

Disease: of coffee, A *Nectria*, in western Guatemala, 287, control measures, 294; genetics of resistance to, 200

Distribution: plant, Right-angle grid system for mapping, 283; of *Taraxacum*, 283, 434

E

Ecologico-behavior study of the Yucca plant and the Yucca moth, 373

Emerson, S. Genetics as a tool for studying gene structure, 243

Emons, Ralph W. A revision of the Central American species of *Smilacina*, 395

Enzymatic adaptation: The physiology and genetic significance of, 139; Mendelian inheritance and, 114

Enzymes: adaptive, 247; relation of genes to, 125, 243

Erickson, Ralph O. The *Clematis Fremontii* var. *Riehlii* population in the Ozarks, 413

Escherichia Coli: effect of radiation on sensitivity of, 165; mutations of, 228

Ethnobotany of southwestern maize, 298

F

Fermentation: of galactose and melibiose, genetic control of adaptation to, 144; of melibiose by diploid and haploid progeny of yeasts, 114, 115; use of radiation for production of mutations with improved, 165

- Finan, John Jay, Edgar Anderson and. Maize in the Yanhuatlán Codex, 361
- Flora of Panama, Part III, Fasc. 1 (Juncaceae-Marantaceae), 1
- Florestina pedata, 278; platyphylla, 278; viscosissima, 278
- Fossil coal balls, 323
- Fourth-dimensional representation of species crosses in Nicotiana, 281
- Fowl, domestic, resistance of, to bacteria and viruses, 187
- Fusarium stage of Nectria Dodgei, 289
- G
- Galactose adaptation of yeasts, 119; biochemical aspects of, 149
- Galactozymase formation in yeast populations, genetic control of, 141
- "Gene action in Micro-organisms," papers given at conference on, 107-249; Discussion of, 251
- Gene action in Paramecium, 213
- Gene mutation in Clematis, 453
- Gene reproduction, 244
- Gene structure, Genetics as a tool for studying, 243
- Genetic aspects: of changes in Staphylococcus aureus producing strains resistant to various concentrations of penicillin, 131; of virulence in bacteria and viruses, 187
- Genetic significance of enzymatic adaptation, 139
- Genetics: as a tool for studying gene structure, 243; Biochemical, of Neurospora, 125; of bacterium-bacterial virus relationship, 235; of Clematis Fremontii var. Riehlui, 453; of maize, 297
- Glades, Ozark: analysis of Clematis flower variation for different, 440; arrangement of transects, 451; distribution of, 415; distribution of Clematis Fremontii var. Riehlui on, 416, 417, 418, 432; drainage pattern of two clusters, 421; hierarchy of subdivisions of, 419, 422, 423; plants growing on, 415; population density studies on, 417, 420
- Gowen, John W. Genetic aspects of virulence in bacteria and viruses, 187
- Graphical representation, Multi-dimensional, for analyzing variation in quantitative characters, 279, 281
- Greenstein, J. P., and H. W. Chalkley. The influence of nucleic acid on dehydrogenase systems, 179
- Grid system, Right-angle, for mapping plant distribution, 283
- Guatemala, western, A Nectria disease of coffee in, 287
- H
- Haemodoraceae of Panama, 11
- Haplophase yeast cultures, 107, 142; cells of, 117
- Heiser, Charles B., Jr. A revision of the genus Schkuhria, 265
- Heiser, Dorothy Gaebler. A Nectria disease of coffee in western Guatemala, 287
- Heterangium, 327, 335, 336
- Hohokam culture in the Southwest, 312
- Hollaender, A. The mechanism of radiation effects and the use of radiation for the production of mutations with improved fermentation, 165
- Hopkirkia, 267; anthemoidea, 272
- Hybridization: in Clematis Fremontii var. Riehlui, 453, 455, 458; in yeasts, 107
- Hypomyces, 291; ipomeae, 292, var. major, 292; haematococcus, 292
- I
- Indians, southwestern: maize of, 298, 306, 307; relationship between maize varieties grown by various tribes, 301, 304, 305, 306, 307, 308
- Influenza A, sensitivity of, against ultraviolet radiation, 165
- Inheritance in yeasts, Mendelian and cytoplasmic, 107
- Insects: collected on Clematis flowers, 430; taken on Yucca plants, 388; Yucca moth, 373
- Introgressive hybridization in Clematis, 458
- Iowa, some Pteridosperm stems from, 323
- Iridaceae of Panama, 34
- J
- Jocaste, 400
- Jonker, F. P. Burmanniaceae of Panama, 42
- Juncaceae of Panama, 1
- K
- Kappa factor in gene action of Paramecium, 213
- Kern, Ellen Marie: Right-angle grid system for mapping plant distribution, 283; and Charlotte Alper. Multi-dimensional graphical representation for analyzing variation in quantitative characters, 279
- Killip, E. P. Genus Bomarea in Panama, 14
- Kinetics of adaptation, 152

L

- Lepidodendron, 323
 Liliaceae of Panama, 2
 Lindegren, Carl C. Mendelian and cytoplasmic inheritance in yeasts, 107
 Liver extracts, mouse and rat, reduction of methylene blue solutions by, 182
 Luria, S. E. Genetics of bacterium-bacterial virus relationship, 235

M

- Maianthemum racemosum*, 403; *stellatum*, 407
 Maize: A preliminary survey of, in the southwestern United States, 297; Basket-maker, 300; color differences in, 307; denting character, 299, 301; diagrams showing relationship between varieties, 300, 301, 302; "Eastern," 300, 301, 302; in the Yanhuatlán Codex, 361, 362, 364, 366, 368; kernel width, 300; Mexican, 300, 301, 302, 361, 362, 364, 366, 368; "Mexican Pyramidal," 363; Post-Conquest, 361; Pre-Conquest, 363, southwestern, 298
 Maltase molecule, section through, and complementary template, 245
 Maltose molecule, structure of, 244, 245
 Mapping plant distribution, Right-angle grid system for, 283, 285
 Marantaceae of Panama, 81
 Mating types in yeasts, 110, 111
 Mechanism of radiation effects, 165
Medora, 400
Medullosa, 324; subg. *Anglorota*, 328, 354; *anglica*, 325, 354, var. *thiesseni*, 328, 338, 354; *centrofilis*, 327, 354; *distelica*, 327, 354; *Noei*, 327; *pusilla*, 328, 354; *Thompsonii*, 324, 325, 332, 340, 342, 346, 348, 352, 354, 356, 358, leaves, 329, restoration, 332, 356, roots, 331, stelar anatomy, 327, stem and leaf bases, 325
 Melibiose, fermentation of, by progeny of *Saccharomyces* hybrids, 114, 115
 Melibiozymase in yeasts, 116; genetics of ability to form, 155
 Mendelian and cytoplasmic inheritance in yeasts, 107
 Mesoxylon, 324
 Methylene blue, effect of nucleic acid on decolorization of, 180
 Mexican maize, 300, 361, 362, 363, 364, 366, 368
 Mice: resistance of, to bacteria and viruses, 187, 198; effect of X-ray treatment on, 203
Micria, 267; *virgata*, 271
 Missouri, *Clematis Fremontii* var. *Riehlii* in, 415
 Morphological variation in *Clematis Fremontii* var. *Riehlii*, statistical study of, 427
 Morton, C. V. Dioscoreaceae of Panama, 26
 Mouse typhoid, genetics of virulence in, 187
 Multi-dimensional graphical representation for analyzing variation in quantitative characters, 279, 281
 Musaceae of Panama, 48
 Mutations: in *Clematis Fremontii* var. *Riehlii*, 453; in *Phytomonas Stewartii*, 149, 197; in yeasts, 107; of bacteria, Spontaneous, 223; populations of, 226; relation between bacterial and virus, 240
 Myelopteris (*Myeloxylon*) *topekensis*, 334
 Myeloxylon, 331, 333; *Bendixenii*, 333, 334, 344, 360; *missouriensis*, 334; *zonatum*, 334

N

- Nectria*, 287; *anisophila*, 292; *Behnickiana*, 292; *coccidophthora*, 292; *coccinea* var. *tropica*, 293; *coccophila*, 292; *coffeicola*, 292; *coffeigena*, 292; *Dodgei*, 288, 296; *fruticola*, 292; *luteopilosa*, 292; *saccharina*, 292; *tropica*, 292
Nectria disease of coffee in western Guatemala, A, 287; characterization, 292; control measures, 294; inoculation of plants, 294; resistance to, 206; symptoms, 288
 Neolexis, 400
 Neuropteris, 338
 Neurospora, Biochemical genetics of, 125
Nicotiana: *alata*, 279, flower of, 279; *Langsdorfii*, 279, flower of, 279; species crosses between *N. alata* and *N. Langsdorfii*, 279; fourth dimensional representation of, 280
 Notes on some North American *Asclepiads*, 369
 Nucleic acid, Influence of, on dehydrogenase systems, 179

O

- Otaria*, 370
 Ozark glades, *Clematis Fremontii* var. *Riehlii* population in the, 415

P

- Paleobotanical work on coal balls, 323
 Panama, Flora of, Part III, Fasc. 1 (Juncaceae-Marantaceae), 1
 Paramecium, Gene action in, 213
 Pathogen variation in bacteria and viruses, 189
Pectis pinnata, 268
 Penicillin: effect of radiation on yield of, 172; Genetic aspects of changes in *Staphylococcus aureus* producing strains resistant to various concentrations of, 131
Penicillium notatum, effect of radiation on, 172
 Physiology and genetic significance of enzymatic adaptation, 139
Picradeniopsis Woodhousei, 278
 Plasmogenes of *Saccharomyces cerevisiae*, 122
Platyschukhria integrifolia, 278
Podostigma, 369
 Poisson's distribution theory applied to *Clematis Fremontii*, 417
Polygonastrum, 400; *racemosum*, 403
 Pollination in *Clematis Fremontii* var. *Riehlii*, 429
 Population: adaptations, biological mechanisms of, 140; data on numbers of livestock and humans in Jefferson Co., Mo., 425; density studies of *Clematis Fremontii* var. *Riehlii*, 418, 420; dynamics in bacteria, 223; evolutionary trends in, 474; hierarchy of subdivisions of, 422, 423; of *Clematis Fremontii* var. *Riehlii*, 422; influence of biotic factors on, 424
 Pre-Conquest maize, 363
 Preliminary survey of maize in the southwestern United States, 297
 Pronuba, 373; interpretations of behavior in regard to Yucca plant, 390
 Pteridosperm stems from Iowa, Some, 323
 Pueblo Indians, maize of, 300
 Pyramid Coal Mine, fossil plants found in, 323

R

- Radiation effects: The mechanism of, and the use of radiation for the production of mutations with improved fermentation, 165; on bacteria, 167; on fungi, 167; on higher organisms, 167; on viruses, 165; on production of mutant strains of *Neurospora*, 125
 Rat and mouse liver extracts, effect of nucleic acids on concentration of methylene blue in, 180
 Rau, Phil. The Yucca plant, *Yucca filamentosa*, and the Yucca moth, *Tegeticula* (Pronuba) *yuccasella* Riley: an ecologico-behavior study, 373
 Regression of leaf width on leaf length in *Clematis Fremontii* var. *Riehlii*, 445, 449, 451
 Resistance: of mice and chicks to bacteria and viruses, 200; of *Staphylococcus aureus* to penicillin, 132; organ and cellular differentiation in, 205
 Revision of the Central American species of *Smilacina*, 369
 Revision of the genus *Schukhria*, 265
Rhetinangium, 335; *arberi*, 336
 Right-angle grid system for mapping plant distribution, 283
 Riley, Charles V., studies of, on the Yucca plant and Yucca moth, 373
Rotbia degenerica, 276; *pinnata a pallida*, 268, β *purpurascens*, 268; *pusilla*, 276
 Rous' sarcoma, sensitivity of, against ultraviolet radiation, 165

S

- Saccharomyces*: cells of hybrid, 114, 115, 117; *Bayanus*, 119; *carlsbergensis*, 114; *cerevisiae*, 107, 142; progeny of, 120
Salmonella typhimurium, genetics of virulence in, 187
 Schery, Robert W., Robert E. Woodson, Jr. and collaborators. Flora of Panama. Part II, Fasc. 1 (Juncaceae-Marantaceae), 1
Schizosaccharomyces, adaptation of, to galactose fermentation, 145
Schukhria, A revision of the genus, 265
Schukhria, 267; *abrotanoides*, 267, 270, var. *isopappa*, 269, 270, var. *pomasquiensis*, 268, 270; *advena*, 268; *anthemoidea*, 272, var. *guatemalensis*, 273, var. *Wislizenii*, 273, f. *flava*, 274, var. *Wrightii*, 274; *anthemoidea*, 273, 278; *Bigelovii*, 278; *bitermata*, 278; *bonariensis*, 268, 270; *coquimbana*, 268; *degenerica*, 276; *glabrescens*, 271; *glomerata*, 278; *Greenmanii*, 277; *guatemalensis*, 273; *Hopkirkia*, 272; *integrifolia*, 278; *isopappa*, 268; *multiflora*, 274, var. *pusilla*, 276; *multiflora* var. *aristata*, 275; *Neo-Mexicana*, 275; *octoaristata*, 269; *olepsis*, 276; *pedata*, 278; *pinnata*, 268, var. *abrotanoides*, 267, 270, var. *octoaristata*, 269, var. *virgata*, 271, f. *Pringlei*, 271; *pinnata a pallida*, 270, β *purpurascens*, 269; *platyphylla*, 278; *Pringlei*, 271; *pusilla*,

- 276, var. *aristata*, 275, var. *longepedunculata*, 275, 276, var. *major*, 276; *Schiedei*, 278; *schkuhrioides*, 277; *senecioides*, 277; *virgata*, 271, 273; *viscosissima*, 278; *Wislizenii*, 273; *Woodhousei*, 278; *Wrightii*, 274
- Schopfiastrum decussatum*, 334, 350, 352, 360
- Segregation, effect of, in producing yeast mutations, 108, 108
- Sepals of *Clematis Fremontii* var. *Riehlii*, 434; coil, 435; color variation of tips, 434, 437; measurement of, 439, 440, manner of measuring, 438
- Shigella gallinarum*, virulence of, 187
- Sigillaria*, 400
- Sisyrinchium chiricanum*, 40
- Smilacaceae of Panama, 6
- Smilacina*, A revision of the Central American species of, 395
- Smilacina*, 400; *amoena*, 403, var. *Salvini*, 404, 408; *Bertolonii*, 404; *ciliata*, 395; *flexuosa*, 404, 410, var. *erubescens*, 405; *Gigas*, 402; *laxiflora*, 402; *macrophylla*, 406, 410; *nervulosa*, 402; *paniculata*, 402, 408; *racemosa*, 403, var. *cylindrata*, 403, var. *typica*, 403; *Salvini*, 404; *scilloidea*, 405, var. *rosea*, 406; *scilloidea* var. *acutifolia*, 405; *stellata*, 407; *thyrsoides*, 402; *trifolia*, 395; *umbellata*, 395
- Solanum*, 369
- Sonneborn, T. M. Gene action in *Paramecium*, 213
- Southwest: culture of, 312; map of, showing archeologic areas, 310, showing linguistic groupings, 311
- Southwestern United States, A preliminary survey of maize in the, 297
- Spiegelman, S. The physiology and genetic significance of enzymatic adaptation, 139
- Spontaneous mutations of bacteria, 223
- Staphylococcus aureus*, Genetic aspects of changes in, producing strains resistant to various concentrations of penicillin, 131
- Stylandra*, 400
- T
- Taraxacum*, 283; distribution of, on Washington University campus, 283, 284, 285; system for mapping, 283; types of leaf shape in, 283
- Taraxacum laevigatum*, 283; *palustre* var. *vulgare*, 283
- Tatum, E. L., G. W. Beadle and. Biochemical genetics of *Neurospora*, 125
- Tegeticula* (Pronuba) *yuccasella*, 373
- Tetracarpum*, 267; *anthemioideum*, 272; *guatemalense*, 273; *Pringlei*, 271; *schkuhrioides*, 277; *virgatum*, 271; *Wislizenii*, 273; *Wrightii*, 274
- Thompson, Mr. Frederick O., coal ball specimens of, 323
- Tovaria*, 400; *flexuosa*, 404; *laxiflora*, 402; *nervulosa*, 402; *paniculata*, 403; *racemosa*, 403; *Salvini*, 404; *scilloidea*, 405; *stellata*, 407; *thyrsoides*, 402
- Tubercularia vulgaris*, 294
- Typhoid, mouse, genetics of virulence in, 192
- U
- Ultraviolet, effects of, on mutations, 165
- Unifolium racemosum*, 403; *stellatum*, 407
- V
- Vagnera*, 400; *flexuosa*, 404; *racemosa*, 403; *stellata*, 407
- Variability in bacteria, relation of, to genetics of virulence, 190
- Variants, origin of, 199
- Variation: in *Clematis Fremontii* var. *Riehlii*, 427, 453; in maize, 297, 299; in yeasts, 107, 108; in quantitative characters, Multi-dimensional graphical representation for analyzing, 279
- Velloziaceae of Panama, 25
- Virulence: character basis of, 201; in bacteria and viruses, Genetic aspects of, 187
- Virus: multiplication, mechanism of, 238; mutants, 195, 238; relationship, Genetics of bacterium-bacterial, 235; tobacco mosaic, 196
- Viruses: effect of radiation on, 165; Genetic aspects of virulence in bacteria and, 187; resistance to, of bacterial mutants, 228
- W
- Woodson, Robert E., Jr. Notes on some North American *Asclepiads*, 369; Robert W. Schery and collaborators. Flora of Panama, Part III, Fasc. 1 (*Juncaceae-Marantaceae*), 105
- Wright's mathematical theory of population and evolution, 413
- X
- X-ray treatment: effect of, on mutation, 170; on strains of mice to reduce resistance to typhoid, 203, 204

Y

Yanhuitlán Codex, 361: Maize in the, 361;
plates from, 362, 364, 366, 368

Yeast, effect of, on decolorization rate of
methylene blue, 182

Yeasts: cytogene hypothesis in, 121; galac-
tozymase formation in populations of,
141; genetic significance of enzymatic
adaptation in, 139; Mendelian and cyto-
plasmic inheritance in, 107

Yucca moth, 373; behavior of, 374, 390;
experiments with, 381; interrelationship
between Yucca flower and, 374, evolution
of, 393

Yucca plant, Yucca filamentosa, and the
Yucca moth, Tegeticula (Pronuba)
yuccasella Riley: an ecologico-behavior
study, 373

Z

Zea Mays, see Maize

Zingiberaceae of Panama, 57